



SERRATED LOCK WASHERS EXTERNAL TEETH - STAINLESS STEEL A2 ① and A4 ① ②

VLAKKE TANDVEERRINGEN MET GESLOTEN BUITENVERTANDING - ROESTVASTSTAAL A2 en A4
 RONDELLES ELASTIQUES A DENTS CHEVAUCHANTES EXTERIEURES - ACIER INOXYDABLE A2 et A4
 ARANDELAS ELASTICAS DE ABANICO CON DENTADO EXTERIOR - ACERO INOXIDABLE A2 y A4
 FÄCHERSCHEIBEN, AUSSENGEZAHNT - ROSTFREISTAHL A2 und A4

	ISO :- DIN : ≈ 6798 A NEN : ≈ 2453 ANSI :- BS :- NF : ≈ E27-624					GROUPCODE A2 51460 A4 55460		 Ordering example: 51460 M2	St.st.			
	For nom. size	M2	M2,5	M2,6^③	M3	M3,5	M4			M5	M6	M7
	$\frac{5}{64}$	$\frac{3}{32}$	–	–	–	$\frac{5}{32}$	–	$\frac{1}{4}$	$\frac{9}{32}$	$\frac{5}{16}$	$\frac{3}{8}$	
d1	2,2	2,7	2,8	3,2	3,7	4,3	5,3	6,4	7,4	8,4	10,5	
d2	4,5	5,5	5,5	6	7	8	10	11	12,5	15	18	
s1	0,3	0,4	0,4	0,4	0,8	0,5	0,6	0,7	0,8	0,8	0,9	
DIMENSION CODE												
For nom. size	A2 51460 R09	A4 55460 R49	☒	For nom. size	A2 51460 R09	A4 55460 R49	☒	For nom. size	A2 51460 R09	A4 55460 R49	☒	
M2	020.001	020.001	200	M6	060.001	060.001	200	M16	160.001	160.001	100	
M2,5	025.001	025.001	200	M7	070.001	070.001	200	M18	180.001	180.001	100	
M2,6	026.001	026.001	200	M8	080.001	080.001	200	M20	200.001	200.001	100	
M3	030.001	030.001	200	M10	100.001	100.001	100	M22	220.001	220.001	50	
M3,5	035.001	035.001	200	M12	120.001	120.001	100	M24	240.001	240.001	50	
M4	040.001	040.001	200	1/2	127.001	127.001	100	M27	270.001	270.001	50	
M5	050.001	050.001	200	M14	140.001	140.001	100	M30	300.001	300.001	25	

- ① The austenetic steel type is at the option of the manufacturer, and can vary from the steel types stated in DIN 267-11.
 ② Toothed lock washers are mainly used to make electrical contact with parts being surface coated (lacquer, corrosion resistant layer, etc.), by penetration of the teeth through the isolating layer. When they are applied with low-tensile fasteners as a locking element, the locking performance has to be tested for every application. Suitable for bolts and nuts with normal widths across flats.
 ③ This size is **not** DIN standardised.
 For technical data concerning stainless steel, see section 15.